



ISSN 1989 – 9572

DOI: 10.47750/jett.2022.13.06.026

Knowledge, Attitude and Practice towards COVID 19 prevention and precaution among non-teaching faculty in a private dental institution.

Aashiq Mohamed P¹

Dr. D.Sri Sakthi^{2*}

Journal for Educators, Teachers and Trainers, Vol. 13 (6)

<https://jett.labosfor.com/>

Date of reception: 25 Oct 2022

Date of revision: 18 Nov 2022

Date of acceptance: 19 Dec 2022

Aashiq Mohamed P, Dr. D.Sri Sakthi(2022). Knowledge, Attitude and Practice towards COVID 19 prevention and precaution among non-teaching faculty in a private dental institution. *Journal for Educators, Teachers and Trainers*, Vol. 13(6). 282-290.

¹Department of Public Health Dentistry, Saveetha Dental College and Hospitals, Saveetha Institute of Medical and Technical Science, Saveetha University, Chennai.

²Reader, Department of Public Health Dentistry, Saveetha Dental College and Hospitals, Saveetha Institute of Medical and Technical Science, Saveetha University, Chennai.



Knowledge, Attitude and Practice towards COVID 19 prevention and precaution among non-teaching faculty in a private dental institution.

Aashiq Mohamed P¹, Dr. D.Sri Sakthi^{2*}

¹Department of Public Health Dentistry, Saveetha Dental College and Hospitals, Saveetha Institute of Medical and Technical Science, Saveetha University, Chennai.

²Reader, Department of Public Health Dentistry, Saveetha Dental College and Hospitals, Saveetha Institute of Medical and Technical Science, Saveetha University, Chennai.

*Corresponding Author

Email: Aashiq0958@gmail.com¹, drsrisakthiphd@gmail.com²

ABSTRACT

Background: The society must routinely practice precautionary measures and precautions to control the spread of Coronavirus, as no vaccines and antiviral treatments are currently available. This study examines non-teaching faculties knowledge, attitude and practice (KAP) related to COVID-19, their relationships and identified the pandemics vulnerable population in order to provide recommendations for policies and behavioural interventions.

Materials and methods: A total of 90 non-teaching staff from a private dental institution participated in this study. A self administered, 12 item questionnaire was circulated among the non-teaching staff. Only completely filled forms were taken into account for analysis by using SPSS software version 23 with Pearson Chi square test method.

Results: The final analysis was done using responses from 89 non-teaching faculties. On the whole, knowledge regarding COVID-19 was found to be moderate among these non-teaching staff.

Conclusion: This study shows a baseline knowledge regarding this pandemic. Even though the participants had fair knowledge, their attitude towards answering the questions was good.

Keywords: Covid-19, knowledge, attitude, practise, non-teaching faculty, innovative analysis, innovative technique

INTRODUCTION

Coronavirus, which formed in the year 2019 is accounted for as emerging respiratory syndrome and it was first detected in December 2019 in Wuhan, China. Empirical clinical data which was recorded overall was 2-3% in China which was lower than Severe Acute Respiratory Syndrome which was approximately 9.5% (1). In response to this serious situation, the World Health Organisation (WHO) has declared it as a public health emergency and called for collaborative effects of all countries to prevent this virus (2).

The knowledge of participants regarding these symptoms and prevention was good with the mean score of 21.26 in India (3). Overall knowledge, attitude and practice scores were significantly less among participants who are above the age of 50. The number of infected people is still on the rise when the government uplifted restriction measures regarding restaurants, bars, etc. Several cases confirmed later amounting to 8681 cases, where 4836 recovered and 212 died (4). Most importantly the awareness of the status of public health for preventive measures which is recommended by health authorities regarding pandemic control (5). Special attention dedicated to patients suffering from cancer, whose immune system is compromised either due to treatment or disease itself (6). As such many health care systems have been overwhelmed with depression and anxiety (7). There is a potential shortage in physical resources, such as ventilators, needed to care for surges of critical ill patients (8).

Primary measures that have been advocated include social distancing, regular hand washing and respiratory hygiene(9).

Over 100 health workers have lost their lives to COVID-19, which is a big tragedy to the world and a barrier to fight against the disease (10). Our team has extensive knowledge and research experience that has translate into high quality publications(11–19),(20),(21),(22,23),(24),(25),(26–30) However, this study is concerned with non-teaching staff in private dental institutions where the knowledge, attitude and practices have not yet been explored.. The main aim of this study is to educate the non-teaching staff regarding Coronavirus.

METHODS AND MATERIAL

Study design

A cross sectional questionnaire survey

Study setting

A private dental institution

Sample size

89 non-teaching faculties of the private dental institution

Sampling and scheduling

Owing to this nature of study design and setting, a convincing sampling method was used. The data was collected over a time period of one month.

Survey instrument

A pre-tested and validated questionnaire was used to measure the baseline knowledge, attitude and practice regarding the pandemic and alternative therapies for the same.

Inclusion and Exclusion Criteria

All those who were willing to participate were included in this study. Those who were not willing and those who had a language barrier in answering the english version of the questionnaire were excluded from the study.

Ethical Clearance

Prior to the start of this study, ethical clearance was obtained from the institutional ethical committee of Saveetha university.

Statistical Analysis

The responses from the google sheets was transferred to excel and were then exported to SPSS software (version 23). Descriptive statistics was done using frequency and percentage. Inferential statistics was done using Chi square test. Interpretation was based on $p < 0.05$, which was considered statistically significant. Comparisons were done between independent variables like age, gender and attitude practice responses by the participants.

RESULTS

A total number of 90 non-teaching faculty members participated in this study from a private dental institution. Out of these faculties, 68.2% are females and 31.8% are males. The majority of them are in the age group of 25-35 years.

Out of all the participants, 80.9% people have the knowledge on route of transmission of covid and only 41.6% wear masks and use hand sanitisers as well as in travelling case, only 11.2% of the participants didn't travel due to safety measures while 48.9% of the faculties were in close contact with affected individuals and nearly 76.4% avoided crowded places and public transportation which denotes their awareness of COVID-19 precautions.

32.6% of the faculties weren't conscious of the trajectory of COVID infected people. Except for 20.2% of them, the rest 79.8% were aware of the COVID-19 centres in their locality (Figure 1). 51.7% take balanced nutrition diet and home remedies to prevent COVID-19 while only 46.1% pay attention to government reports on the pandemic (Figure2) and nearly 50.6% of them didn't carry out self preventive measures due to their impacts on their work and daily life which represents the lack of self protection methods against COVID-19




Figure 1: The pie chart represents the percentage of participants who have the knowledge of COVID centres in their locality. Blue colour denotes all of them, Green denotes none of them and Brown denotes some of them. Majority of the participants knew all COVID centres near their locality with a percentage of 41.57%.




Figure 2: The pie chart denotes the percentage of participants' interest in paying close attention to Government reports on pandemic. Blue colour denotes no, Green colour denotes sometimes and Brown colour denotes yes. Only 46.07% of people pay close attention to Government reports regarding the pandemic.

Are u aware of the methods of transmission of COVID?




Figure 3: The bar graph depicts the association between age and the knowledge of the transmission of coronavirus. X axis denotes age groups and Y axis denotes percentage of responses. Blue denotes no and Green denotes yes. Pearson Chi square test shows p value is 0.839 (>0.05), which is statistically not significant.

How many times have you travelled during pandemic?




Figure 4: The bar graph depicts the association between age and the number of times travelled during pandemic. X axis denotes age groups and Y axis denotes percentage of responses. Blue denotes more than twice and Green denotes never, Sandal denotes once and Purple denotes twice. Pearson Chi square test shows p value is 0.010 (>0.05), which is statistically not significant.




Figure 5: The bar graph depicts the association between age of participants and their willingness to be in close contact with any affected individual. X axis denotes age groups and Y axis denotes percentage of responses. Blue denotes no and Green denotes yes. Pearson Chi square test shows p value is 0.516 (>0.05), which is statistically not significant.




Figure 6: The bar graph depicts the association between age and the interest of avoiding crowded places. X axis denotes age groups and Y axis denotes percentage of responses. Blue denotes no, Green denotes yes. Pearson Chi square test shows p value is 0.429 (>0.05), which is statistically not significant.

DISCUSSION

COVID-19 is a relatively new virus that has had devastating effects within the short time since it was first detected in December 2019. This study explored the background of COVID 19 and the evaluation of the knowledge of this drastic pandemic causing virus among non-teaching staff in a private dental college. In addition, this study explored and spread awareness of COVID 19 among the general public. Besides this, the level of knowledge about the preventive measures of COVID 19 among them was assessed.

In this present study, females were more in number than males. So, it would be prudent to generalise and represent the common population masses. In this drastically developing environment, we can observe by the help of this survey that nearly half (41.6%) of the participants knew hand washing methods, social distancing measures which concludes that there is a lack of knowledge of COVID 19 measures. These findings were different to that of other findings (92.7%) done by researchers(31). Nearly 76.4% avoided crowded places and public transportation as an awareness of COVID-19 precautions which reconciles with other researchers' results (85.7%)(32).

80.9% of the participants knew about the transmission route of COVID 19. Several studies conducted in Asian countries have indicated high (83.6%) knowledge levels of COVID-19 among the general population which is similar to our findings(33). The findings of our study tells us the importance of educating non-teaching faculties about Coronavirus transmission and also the preventive measures that play a vital role in their protection from getting infected with the disease and which dramatically reduce the spread of the disease, while comparing with the previous study, people who knew about the route of transmission was 78.3% where people are more aware of COVID-19 transmission in this study than previous study(34).

This study has several limitations. First and foremost, given that participants are in low numbers, this case study was taken for non-teaching faculties in a private dental college. Third, the majority of the participants have partial knowledge on the topic and the answers they gave were in random manner to some of the questions. The survey tool used in this study also helps in improving the existing knowledge and to resolve any misconception laid among the public regarding COVID-19. In future, this study can be elaborate with a large sample size and with the general population. Though it is a pilot questionnaire study, this article can be used for its data as a reference for further studies related to this topic.

CONCLUSION

This study revealed the knowledge of non-teaching staff in a private dental institution about COVID-19. The findings suggest that there is a need for effective health education programmes to spread awareness among the public, thereby leading a healthy life without any fear of pathogens.

ACKNOWLEDGEMENT

I would like to acknowledge the support of the Department of Public Health Dentistry, Saveetha dental college and hospitals. I would like to thank my guide as well, Dr. Sri Sakthi and the research units for the successful completion of the study.

Conflict of interest

All the authors declare that there was no conflict of interest in the present study.

Source of funding

The present project is supported/funded/sponsored by
Saveetha Institute of Medical and Technical Sciences
SaveethaDental College and Hospitals
Saveetha University
Funding organization name: Royal medicals

REFERENCES

1. Van Doorselaer K, Koopmans RJ. Ecodesign [Internet]. 2020. Available from: <http://dx.doi.org/10.3139/9781569908624>
2. Ajilore K, Atakiti I, Onyenakeya K. College students' knowledge, attitudes and adherence to public service announcements on Ebola in Nigeria: Suggestions for improving future Ebola prevention education programmes [Internet]. Vol. 76, Health Education Journal. 2017. p. 648–60. Available from: <http://dx.doi.org/10.1177/0017896917710969>
3. Olum R, Chekwech G, Wekha G, Nassozi DR, Bongomin F. Coronavirus Disease-2019: Knowledge, Attitude, and Practices of Health Care Workers at Makerere University Teaching

- Hospitals, Uganda [Internet]. Vol. 8, *Frontiers in Public Health*. 2020. Available from: <http://dx.doi.org/10.3389/fpubh.2020.00181>
4. Silvestri E. Extraordinary Measures Concerning Civil Justice Adopted by the Italian Government in Connection with the Emergency Caused by Coronavirus [Internet]. *Septentrio Reports*. 2020. p. 32–3. Available from: <http://dx.doi.org/10.7557/7.5465>
 5. Gellert GA. Ethical imperatives critical to effective disease control in the coronavirus pandemic: Recognition of global health interdependence as a driver of health and social equity [Internet]. Vol. 16, *Online Journal of Health Ethics*. 2020. Available from: <http://dx.doi.org/10.18785/ojhe.1601.03>
 6. Huang Z, Tong Y, Wang J, Huang Y. *Cancer Cell International* [Internet]. Vol. 3. 2003. p. 5. Available from: <http://dx.doi.org/10.1186/1475-2867-3-5>
 7. Tan BYQ, Leow AS, Lee T-H, Gontu VK, Andersson T, Holmin S, et al. Left ventricular systolic dysfunction is associated with poor functional outcomes after endovascular thrombectomy. *J Neurointerv Surg* [Internet]. 2020 Sep 3; Available from: <http://dx.doi.org/10.1136/neurintsurg-2020-016216>
 8. Li W, Wang J. Comments on “characteristics and outcomes of critically ill patients with severe hyperammonemia” [Internet]. *Journal of Critical Care*. 2020. Available from: <http://dx.doi.org/10.1016/j.jcrc.2020.11.016>
 9. Anand K, Gai P, Lou E, Wu S. Be kind or take it on the chin? Political narratives, pandemics, and social distancing [Internet]. *SSRN Electronic Journal*. Available from: <http://dx.doi.org/10.2139/ssrn.3746726>
 10. Bhagavathula AS, Aldhalei WA, Rahmani J, Mahabadi MA, Bandari DK. Knowledge and Perceptions of COVID-19 Among Health Care Workers: Cross-Sectional Study. *JMIR Public Health Surveill* [Internet]. 2020 Apr 30;6(2):e19160. Available from: <http://dx.doi.org/10.2196/19160>
 11. Mathew MG, Samuel SR, Soni AJ, Roopa KB. Evaluation of adhesion of *Streptococcus mutans*, plaque accumulation on zirconia and stainless steel crowns, and surrounding gingival inflammation in primary molars: randomized controlled trial. *Clin Oral Investig* [Internet]. 2020 Sep;24(9):3275–80. Available from: <http://dx.doi.org/10.1007/s00784-020-03204-9>
 12. Samuel SR. Can 5-year-olds sensibly self-report the impact of developmental enamel defects on their quality of life? *Int J Paediatr Dent* [Internet]. 2021 Mar;31(2):285–6. Available from: <http://dx.doi.org/10.1111/ipd.12662>
 13. Samuel SR, Kuduruthullah S, Khair AMB, Al Shayeb M, Elkaseh A, Varma SR, et al. Impact of pain, psychological-distress, SARS-CoV2 fear on adults’ OHRQOL during COVID-19 pandemic. *Saudi J Biol Sci* [Internet]. 2021 Jan;28(1):492–4. Available from: <http://dx.doi.org/10.1016/j.sjbs.2020.10.033>
 14. Samuel SR, Kuduruthullah S, Khair AMB, Shayeb MA, Elkaseh A, Varma SR. Dental pain, parental SARS-CoV-2 fear and distress on quality of life of 2 to 6 year-old children during COVID-19. *Int J Paediatr Dent* [Internet]. 2021 May;31(3):436–41. Available from: <http://dx.doi.org/10.1111/ipd.12757>
 15. Samuel SR, Acharya S, Rao JC. School Interventions-based Prevention of Early-Childhood Caries among 3-5-year-old children from very low socioeconomic status: Two-year randomized trial. *J Public Health Dent* [Internet]. 2020 Jan;80(1):51–60. Available from: <https://onlinelibrary.wiley.com/doi/10.1111/jphd.12348>
 16. Vikneshan M, Saravanakumar R, Mangaiyarkarasi R, Rajeshkumar S, Samuel SR, Suganya M, et al. Algal biomass as a source for novel oral nano-antimicrobial agent. *Saudi J Biol Sci* [Internet]. 2020 Dec;27(12):3753–8. Available from: <http://dx.doi.org/10.1016/j.sjbs.2020.08.022>
 17. Chellapa LR, Rajeshkumar S, Arumugham MI, Samuel SR. Biogenic Nanoselenium Synthesis and Evaluation of its antimicrobial, Antioxidant Activity and Toxicity. *Bioinspired Biomim Nanobiomaterials* [Internet]. 2020 Jul 23;1–6. Available from: <https://www.icevirtuallibrary.com/doi/10.1680/jbibn.19.00054>
 18. Samuel SR, Mathew MG, Suresh SG, Varma SR, Elsubeihi ES, Arshad F, et al. Pediatric dental emergency management and parental treatment preferences during COVID-19 pandemic as compared to 2019. *Saudi J Biol Sci* [Internet]. 2021 Apr;28(4):2591–7. Available from: <http://dx.doi.org/10.1016/j.sjbs.2021.02.002>

19. Barma MD, Muthupandiyam I, Samuel SR, Amaechi BT. Inhibition of Streptococcus mutans, antioxidant property and cytotoxicity of novel nano-zinc oxide varnish. Arch Oral Biol [Internet]. 2021 Jun;126:105132. Available from: <http://dx.doi.org/10.1016/j.archoralbio.2021.105132>
20. Muthukrishnan L. Nanotechnology for cleaner leather production: a review. Environ Chem Lett [Internet]. 2021 Jun 1;19(3):2527–49. Available from: <https://doi.org/10.1007/s10311-020-01172-w>
21. Muthukrishnan L. Multidrug resistant tuberculosis - Diagnostic challenges and its conquering by nanotechnology approach - An overview. Chem Biol Interact [Internet]. 2021 Mar 1;337:109397. Available from: <http://dx.doi.org/10.1016/j.cbi.2021.109397>
22. Sekar D, Auxilia PK. Letter to the Editor: H19 Promotes HCC Bone Metastasis by Reducing Osteoprotegerin Expression in a PPP1CA/p38MAPK-Dependent Manner and Sponging miR-200b-3p [Internet]. Hepatology. 2021. Available from: <http://dx.doi.org/10.1002/hep.31719>
23. Gowhari Shabgah A, Amir A, Gardanova ZR, Olegovna Zekiy A, Thangavelu L, Ebrahimi Nik M, et al. Interleukin-25: New perspective and state-of-the-art in cancer prognosis and treatment approaches. Cancer Med [Internet]. 2021 Aug;10(15):5191–202. Available from: <http://dx.doi.org/10.1002/cam4.4060>
24. Kamala K, Sivaperumal P, Paray BA, Al-Sadoon MK. Author response for “Identification of haloarchaea during fermentation of Sardinella longiceps for being the starter culture to accelerate fish sauce production” [Internet]. Wiley; 2021. Available from: <https://publons.com/publon/47375106>
25. Ezhilarasan D, Lakshmi T, Subha M, Deepak Nallasamy V, Raghunandhakumar S. The ambiguous role of sirtuins in head and neck squamous cell carcinoma. Oral Dis [Internet]. 2021 Feb 11; Available from: <http://dx.doi.org/10.1111/odi.13798>
26. Sridharan G, Ramani P, Patankar S, Vijayaraghavan R. Evaluation of salivary metabolomics in oral leukoplakia and oral squamous cell carcinoma. J Oral Pathol Med [Internet]. 2019 Apr;48(4):299–306. Available from: <http://dx.doi.org/10.1111/jop.12835>
27. R H, Hannah R, Ramani P, Ramanathan A, Jancy MR, Gheena S, et al. CYP2 C9 polymorphism among patients with oral squamous cell carcinoma and its role in altering the metabolism of benzo[a]pyrene [Internet]. Vol. 130, Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology. 2020. p. 306–12. Available from: <http://dx.doi.org/10.1016/j.oooo.2020.06.021>
28. J PC, Pradeep CJ, Marimuthu T, Krithika C, Devadoss P, Kumar SM. Prevalence and measurement of anterior loop of the mandibular canal using CBCT: A cross sectional study [Internet]. Vol. 20, Clinical Implant Dentistry and Related Research. 2018. p. 531–4. Available from: <http://dx.doi.org/10.1111/cid.12609>
29. Wahab PUA, Abdul Wahab PU, Madhulaxmi M, Senthilnathan P, Muthusekhar MR, Vohra Y, et al. Scalpel Versus Diathermy in Wound Healing After Mucosal Incisions: A Split-Mouth Study [Internet]. Vol. 76, Journal of Oral and Maxillofacial Surgery. 2018. p. 1160–4. Available from: <http://dx.doi.org/10.1016/j.jjoms.2017.12.020>
30. Mudigonda SK, Murugan S, Velavan K, Thulasiraman S, Krishna Kumar Raja VB. Non-suturing microvascular anastomosis in maxillofacial reconstruction- a comparative study. Journal of Cranio-Maxillofacial Surgery [Internet]. 2020 Jun 1;48(6):599–606. Available from: <https://www.sciencedirect.com/science/article/pii/S1010518220301098>
31. Jadhav J, Rao Surampudi S, Alagirisamy M. Convolution Neural Network Based Infection Transmission Analysis on Covid -19 Using GIS and Covid Data Materials. Mater Today Proc [Internet]. 2021 Mar 4; Available from: <http://dx.doi.org/10.1016/j.matpr.2021.02.577>
32. Tirachini A, Cats O. COVID-19 and Public Transportation: Current Assessment, Prospects, and Research Needs [Internet]. Vol. 22, Journal of Public Transportation. 2020. Available from: <http://dx.doi.org/10.5038/2375-0901.22.1.1>
33. Park S, Han S, Kim J, Molaie MM, Vu HD, Singh K, et al. COVID-19 Discourse on Twitter: Case Study of Risk Communication in Four Asian Countries. J Med Internet Res [Internet]. 2021 Mar 3; Available from: <http://dx.doi.org/10.2196/23272>
34. Konstantinidou A-E, Skaltsounis P, Eleftheriades M, Antsaklis P, Charitou A, Anatolitou F, et al. Pharyngeal sampling for PCR-testing in the investigation of SARS-COV-2 vertical transmission in pregnancy. Eur J Obstet Gynecol Reprod Biol [Internet]. 2021 Mar 5;260:18–21. Available from: <http://dx.doi.org/10.1016/j.ejogrb.2021.02.026>